

Thread dia. d	M5	M6	M8	M10	M12
s in mm	8	10	13	15	17

Thread dia. d	l in mm	Steel 8.8 galv., yellow pass. Art. No.	Steel 8.8 galv., blue pass. Art. No.	P. Qty.
M5	10	0274 5 10	0274 05 10	100
	12	0274 5 12	0274 05 12	
	16	0274 5 16	0274 05 16	
M6	10	0274 6 10	0274 06 10	
	12	0274 6 12	0274 06 12	
	16	0274 6 16	0274 06 16	
	20	0274 6 20	0274 06 20	
	25	0274 6 25	0274 06 25	
M8	30	0274 6 30	0274 06 30	
	12	0274 8 12	0274 08 12	
	16	0274 8 16	0274 08 16	
	20	0274 8 20	0274 08 20	
	25	0274 8 25	0274 08 25	
M10	30	0274 8 30	0274 08 30	
	35	0274 8 35	0274 08 35	
	20	0274 10 20	0274 010 20	
	25	0274 10 25	0274 010 25	
	30	0274 10 30	0274 010 30	
M12	35	0274 10 35	0274 010 35	
	40	0274 10 40	0274 010 40	
	50	0274 10 50	0274 010 50	
	20	0274 12 20		
	25	0274 12 25		
	30	0274 12 30		
	35	0274 12 35		
	40	0274 12 40		
	45	0274 12 45		
	50	0274 12 50		

Self-Locking Bolts

Galvanised steel 8.8, yellow passivated (A2C)

Galvanised steel 8.8, blue passivated (A2K)


Self-locking bolts secure connections which are dynamically loaded in axial direction or vertically to screw axis. Locking element and bolt are one piece. Locking teeth block inner loosening torque in losing rotating direction.

Note: **Self-Locking Nuts similar to DIN 6923**
Art. No. 0394 ... yellow passivated (A2C)
Art. No. 0394 0... blue passivated (A2K)



Art. No. 0964 274 0

Contents: 340 Self-locking bolts PC 8.8
 Galvanised steel, blue passivated (A2K)
 0274 0.. M6 x 10/12/16/20 50 pc. each
 M8 x 12/16/20/25 20 pc. each
 M10 x 20/25 20 pc. each
 M10 x 30/35 10 pc. each



Thread dia. d	M8	M10
s in mm	12	14

Thread dia. d	Thread pitch in mm	l in mm	similar to DIN	Steel 8.8 galv., yellow pass. Art. No.	P. Qty.
M8		20	933	0060 8 20	100
		25		0060 8 25	
		30		0060 8 30	
		40		0060 8 40	
M10	1.25	20	931	0060 10 20	
		25		0060 10 25	
		30		0060 10 30	
		35		0060 10 35	
		961	40	0060 10 40	
			45	0060 10 45	
			50	0060 10 50	
			55	0060 10 55	
			960	60	0060 10 60
				70	0060 10 70
960	80	0060 10 80			

Hexagon Steel Bolts

for Japanese vehicles

Galvanised steel 8.8, yellow passivated (A2C)