


## SL RETAINERS




- Radial shaft retainer for mounting and removal without tools.
- Balances out longitudinal tolerances thanks to spring-action legs.
- Rattle-free fit thanks to axial pretensioning.
- Double retention to prevent accidental knocking off.
- High axial load-bearing capacity.

Nominal dimension $d_1$ in mm	$d_4$ in mm	a in mm	$d_2$ in mm	$d_3$ in mm	m in mm	Art. No. Bare steel	P. Qty.
4.0	3.2	9.0	7.0	3.4	0.65	<b>0491 4</b>	50
5.0	4.0	11.0	9.0	4.2	0.75	<b>0491 5</b>	50
6.0	5.0	14.0	11.0	5.2	0.75	<b>0491 6</b>	50
8.0	6.0	17.5	14.0	6.2	0.95	<b>0491 8</b>	50
10.0	8.0	22.0	18.0	8.2	1.05	<b>0491 10</b>	25
12.0	9.0	26.0	22.0	9.4	1.15	<b>0491 12</b>	25
16.0	12.0	34.0	28.0	10.2	1.35	<b>0491 16</b>	25

Storable in <sup>®</sup>ORSY

## KL RETAINERS



- Radial shaft end and spacer retainer that can be mounted and removed without tools.
- Rattle-free, tolerance-balancing fit thanks to plate-shaped saturation.
- High axial loadability.

Nominal dimension $d_1$ in mm	$d_4$ in mm	$d_2$ in mm	$d_3$ in mm	m in mm	Art. No. Bare steel	P. Qty.
4.0 - 5.0	3.2	6.8	2.8	0.5	<b>0492 4</b>	50
5.0 - 6.0	4.0	7.7	3.6	0.7	<b>0492 5</b>	50
6.0 - 8.0	5.0	10.6	4.6	0.7	<b>0492 6</b>	50
8.0 - 9.0	6.0	11.5	5.6	0.7	<b>0492 8</b>	50
10.0 - 12.0	8.0	16.0	7.5	0.9	<b>0492 10</b>	25
12.0 - 14.0	9.0	17.0	8.5	0.9	<b>0492 12</b>	25

Storable in <sup>®</sup>ORSY

## ASSORTMENT

**Art. No. 0964 491**

Contents:

6 Dimensions of SL retainers from 4 to 12 mm  
= 120 parts.

6 Dimensions of KL retainers from 4 to 12 mm  
= 120 parts.

