

Electric Insulating Tapes

Safe insulation and marking during electrical installation



VDE-tested according to DIN EN 60454-3-1 Type 5.

Your advantages:

- Safety thanks to tested properties.
- Up to 9 kV disruptive strength.
- Hardly flammable.
- Safe, easy use.

Your advantages:

- Tear-proof and resistant to ageing.
- High flexibility and adhesive strength.
- Following assembly, consistently positive material properties, even at changing temperatures.
- Largely resistant to diluted acid and caustic solution.

Colour		Width in mm	Thickn. in mm	Roll in m	Art. No.	P. Qty.
black					0985 101	
white		15	0,15	10	0985 102	10
red					0985 103	
brown					0985 104	
blue					0985 105	
yellow					0985 107	
green/yellow					0985 109	
grey					0985 109 1	
green					0985 109 2	
black		30	0,15	25	0985 101 1	5

Applications:

For insulating, marking electrical cables and securing cable harnesses etc.

Note:

Protect tape from exposure to direct sunlight.

Technical data:

Chemical basis	Acrylate, soft PVC foil		
Thermal stability	+0°C to +90°C		
Disruptive strength	9 kV		
Minimum shelf life	24 months		

This information is only a recommendation based on our experience. Check material compatibility on a non-visible area if necessary.



Assortment, sorted by colour Art. No. 0985 100

Contents:

10 rolls = 2x black, 2x white, red, brown, blue, yellow, green/yellow, grey