according to Regulation (EC) No. 1907/2006



## STAIN REMOVER - 1 L

Version Revision Date: SDS Number: Date of last issue: 27.09.2016 2.4 22.03.2017 469720-00005 Date of first issue: 10.11.2011

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : STAIN REMOVER - 1 L

Product code : 089021 100

REACH Registration Number : 3245667897

Substance name : Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-

hexane

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cleaning agent, Detergent

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person

responsible for the SDS

: prodsafe@wuerth.com

## 1.4 Emergency telephone number

Giftnotrufzentrale Berlin +49 30 30686 790. Gesellschaft (07:00 – 18:00 Uhr) +49 794015

2552

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Skin irritation, Category 2 H315: Causes skin irritation.

Specific target organ toxicity - single ex-

posure, Category 3

H336: May cause drowsiness or dizziness.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :









Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331 Do NOT induce vomiting.

## 2.3 Other hazards

Vapours may form explosive mixture with air.

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Substance name : Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-

hexane

## **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
	EC-No.	
Hydrocarbons, C6-C7, n-	Not Assigned	>= 90 - <= 100
alkanes, isoalkanes, cy-		
clics, <5% n-hexane		

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

Version Revision Date: SDS Number: Date of last issue: 27.09.2016 2.4 22.03.2017 469720-00005 Date of first issue: 10.11.2011

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

Risks : May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance.

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

Ventilate the area.

Use personal protective equipment.

Follow safe handling advice and personal protective equip-

ment recommendations.

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

according to Regulation (EC) No. 1907/2006



## STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety

practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep

away from heat and sources of ignition.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures, which in contact with water, emit

flammable gases Explosives

Gases

Storage class (TRGS 510) : 3, Flammable liquids

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

Version SDS Number: Date of last issue: 27.09.2016 Revision Date: 469720-00005 Date of first issue: 10.11.2011 2.4 22.03.2017

Recommended storage tem- : 20 - 30 °C

perature

7.3 Specific end use(s)

Specific use(s) No data available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Not As- signed	AGW	1.500 mg/m3	DE TRGS 900	
Peak-limit: excursion factor (category)	2;(II)				
Further information	Group exposure limit for hydrocarbon solvent mixtures, Commission for dangerous substances, See also No. 2.9 of the TRGS 900				

### 8.2 Exposure controls

#### **Engineering measures**

Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust ventilation.

Use with local exhaust ventilation.

### Personal protective equipment

Eye protection Wear the following personal protective equipment:

Safety glasses

Hand protection

Material Nitrile rubber Break through time > 480 min Glove thickness >= 0.7 mmDirective **DIN EN 374** 

Remarks Choose gloves to protect hands against chemicals depending

> on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Select appropriate protective clothing based on chemical Skin and body protection

resistance data and an assessment of the local exposure

potential.

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

Wear the following personal protective equipment:

Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapour type (A-P)

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : clear, colourless

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

80 - 110 °C (1.013 hPa)

Method: DIN 51751

Flash point : -15 °C

Other information: No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

8,0 %(V)

Lower explosion limit / Lower :

flammability limit

0,9 %(V)

Vapour pressure : 29 kPa (50 °C)

Relative vapour density : No data available

Density : 0,675 - 0,720 g/cm3 (20 °C)

Solubility(ies)

Water solubility : insoluble (20 °C)

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

Partition coefficient: n-

octanol/water

: log Pow: 2,2 - 6

Auto-ignition temperature : ca. 220 °C

Method: DIN 51794

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Particle size : Not applicable

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Highly flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Information on likely routes of :

exposure Inhalation

Skin contact Ingestion Eye contact

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

### **Acute toxicity**

Not classified based on available information.

#### **Components:**

## Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,61 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Components:

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

### Components:

## Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Species: Rabbit

Result: No eye irritation

### Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

# Respiratory sensitisation

Not classified based on available information.

### **Components:**

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig Result: negative

### Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

### **Components:**

## Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.5395

Result: negative

## Carcinogenicity

Not classified based on available information.

#### Components:

## Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Species: Mouse

Application Route: Skin contact Exposure time: 102 weeks

Result: negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop-

Test Type: Embryo-foetal development

ment

Species: Rat

Application Route: inhalation (vapour)

Result: negative

### STOT - single exposure

May cause drowsiness or dizziness.

## **Components:**

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Assessment: May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



## STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

## Repeated dose toxicity

### **Components:**

## Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Species: Rat NOAEL: > 20 mg/l

Application Route: inhalation (vapour)

Exposure time: 13 Weeks

### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

### Components:

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

### **Components:**

## Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): 8,2 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4,5 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): 3,1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOELR (Pseudokirchneriella subcapitata (green algae)): 0,5

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOELR: 2,6 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

Method: OECD Test Guideline 211

## 12.2 Persistence and degradability

### **Components:**

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 77,05 % Exposure time: 28 d

Method: OECD Test Guideline 301F

## 12.3 Bioaccumulative potential

#### Components:

## Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Partition coefficient: n- : log Pow: 4

octanol/water Remarks: Based on data from similar materials

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Not relevant

### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

unused product, used product

080121, waste paint or varnish remover

uncleaned packagings

according to Regulation (EC) No. 1907/2006



## STAIN REMOVER - 1 L

Version Revision Date: SDS Number: Date of last issue: 27.09.2016 2.4 22.03.2017 469720-00005 Date of first issue: 10.11.2011

150110, packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

#### 14.1 UN number

ADN : UN 3295
ADR : UN 3295
RID : UN 3295
IMDG : UN 3295
IATA : UN 3295

## 14.2 UN proper shipping name

ADN : HYDROCARBONS, LIQUID, N.O.S.
ADR : HYDROCARBONS, LIQUID, N.O.S.
RID : HYDROCARBONS, LIQUID, N.O.S.
IMDG : HYDROCARBONS, LIQUID, N.O.S.

(Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-

hexane)

IATA : Hydrocarbons, liquid, n.o.s.

## 14.3 Transport hazard class(es)

ADN : 3
ADR : 3
RID : 3
IMDG : 3
IATA : 3

# 14.4 Packing group

## ADN

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3

### **ADR**

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

## **RID**

Packing group : II
Classification Code : F1
Hazard Identification Number : 33

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

Version Revision Date: SDS Number: Date of last issue: 27.09.2016 469720-00005 Date of first issue: 10.11.2011 2.4 22.03.2017

3 Labels

**IMDG** 

Packing group : Ш Labels 3 **EmS Code** F-E, S-D

IATA (Cargo)

Packing instruction (cargo 364

aircraft)

Packing instruction (LQ) Y341 Packing group Ш

Labels Flammable Liquids

IATA (Passenger)

Packing instruction (passen-353

ger aircraft)

Packing instruction (LQ) Y341 Packing group Ш

Labels Flammable Liquids

14.5 Environmental hazards

Environmentally hazardous yes

**ADR** 

Environmentally hazardous yes

Environmentally hazardous yes

Marine pollutant yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable for product as supplied.

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

(29)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EC) No 850/2004 on persistent organic pol- : Not applicable

lutants

according to Regulation (EC) No. 1907/2006



25.000 t

# STAIN REMOVER - 1 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.09.2016

 2.4
 22.03.2017
 469720-00005
 Date of first issue: 10.11.2011

Regulation (EC) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS Quantity 1 Quantity 2
5.000 t 50.000 t

ENVIRONMENTAL 200 t 500 t
HAZARDS

Petroleum products: (a)

gasolines and naphthas,
(b) kerosenes (including jet
fuels), (c) gas oils (including diesel fuels, home
heating oils and gas oil
blending streams),(d)
heavy fuel oils (e) alternative fuels serving the same
purposes and with similar
properties as regards
flammability and environmental hazards as the
products referred to in
points (a) to (d)

Water contaminating class

(Germany)

34

WGK 1 slightly water endangering

Remarks: self classification

Volatile organic compounds : Directive 2004/42/EC

VOC content in g/l: 715 g/l

Product sub-category: Preparatory and cleaning products

2.500 t

Coatings: Preparatory products VOC limit level 1 (2007): 850 g/l

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 100 %

Regulation (EC) No. 648/2004, as amended

30 % and more: Aliphatic hydrocarbons

## Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

Date of last issue: 27.09.2016 Version Revision Date: SDS Number: 469720-00005 Date of first issue: 10.11.2011 2.4 22.03.2017

### **SECTION 16: Other information**

#### Full text of other abbreviations

DE TRGS 900 Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## **Further information**

compile the Safety Data

Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs. OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

according to Regulation (EC) No. 1907/2006



# STAIN REMOVER - 1 L

Version Revision Date: SDS Number: Date of last issue: 27.09.2016 2.4 22.03.2017 469720-00005 Date of first issue: 10.11.2011

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN